

RECEIVED
CENTRAL FAX CENTER

SEP 27 2005

U.S. PATENT AND TRADEMARK OFFICE
APPEAL BRIEF TRANSMITTAL FORM

TI-23373
Docket No.

In re Application of

Stephen S. Oh, et al.

Serial No: 09/483,569

Filed: January 14, 2000


For: Simplified Noise Suppression Circuit

Conf. No: 8551

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RECEIVED
OIPE/IAP

SEP 28 2005



Sir:

Transmitted herewith is an Appeal Brief in the above-identified application.


Please charge the \$500.00 fee for filing the Appeal Brief to Texas Instruments Incorporated Deposit Account No. 20-0668.

Charge any additional fees, or credit overpayment to Texas Instruments Incorporated Deposit Account No. 20-0668.

09/28/2005 HLE333 00000019 200668 09483569

01 FC:1402 500.00 DA

Texas Instruments Incorporated
P.O. Box 655474, MS 3999
Dallas, TX 75265
(972) 917-5290



Robert D. Marshall, Jr.
Attorney for Applicants
Registration No. 28,527

To: Technology Center: 2655
Facsimile Number: 571-273-8300

Total Pages Sent: 16

From: Robert D. Marshall, Jr.
Texas Instruments Incorporated
Facsimile: 972-917-4418
Phone: 972-917-5290

RECEIVED
CENTRAL FAX CENTER

SEP 27 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Stephen S. Oh, et al.

TI-23373

Art Unit: 2654

Serial No.: 09/483,569

Examiner: Michael N. Opsasnick


Filed: January 14, 2000

Conf. No.: 8551

For: Simplified Noise Suppression Circuit

CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that the following papers are being transmitted by facsimile to the U.S. Patent and Trademark Office at 571-273-8300 on the date shown below:



Robin E. Barnum

September 27, 2005
Date

FACSIMILE COVER SHEET

<input checked="" type="checkbox"/> FACSIMILE COVER SHEET	AMENDMENT _____ (# Pages)
NEW APPLICATION _____	EOT _____ () month () Page
DECLARATION (# Pages) _____	NOTICE OF APPEAL () Page
ASSIGNMENT (# Pages) _____	<input checked="" type="checkbox"/> Brief _____ Appeal Brief #2 (14 Pages)
FORMAL DRAWINGS _____	ISSUE FEE (# Pages) _____
INFORMAL DRAWINGS _____	REPLY BRIEF (IN TRIPLICATE) (# Pages) _____
CONTINUATION APP'N (# Pages) _____	<input checked="" type="checkbox"/> Appeal Brief TL (1 page)
DIVISIONAL APP'N _____	
NAME OF INVENTOR(S): Stephen S. Oh, et al.	
RECEIPT DATE & SERIAL NO.: Serial No.: 09/483,569 Filing Date: January 14, 2000	
TITLE OF INVENTION: Simplified Noise Suppression Circuit	
TI FILE NO.: TI-23373	DEPOSIT ACCT. NO.: 20-0668
FAXED: 9/27/05	
DUE: 9/28/05	
ATTY/SEC'Y: RDM/rdb	

This facsimile is intended only for the use of the address named and contains legally privileged and/or confidential information. If you are not the intended recipient of this telecopy, you are hereby notified that any dissemination, distribution, copying or use of this communication is strictly prohibited. Applicable privileges are not waived by virtue of the document having been transmitted by Facsimile. Any misdirected facsimiles should be returned to the sender by mail at the address indicated on this cover sheet.

Texas Instruments Incorporated
PO Box 655474, M/S 3999
Dallas, TX 75265

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Oh et al

Art Unit: 2654

Serial No.: 09/483,569

Examiner: Michael N. Opsasnick

Filed: January 14, 2000

Docket: TI-23373

For: SIMPLIFIED NOISE SUPPRESSION CIRCUIT

RECEIVED
CENTRAL FAX CENTER

SEP 27 2005

Appeal Brief under 37 C.F.R. §41.37

Board of Patent Appeals and
Interferences


United States Patent and
Trademark Office

P.O. Box 1450

Alexandria, VA 22313-1450

CERTIFICATION OF FAX TRANSMITTAL
UNDER 37 C.F.R. §1.6(b)

I hereby certify that the above correspondence
is being facsimile transmitted to the Patent
and Trademark Office on September 27, 2005.


Robin E. Barnum

Dear Sir:

This is Appellant's Appeal Brief filed pursuant to
37 C.F.R. §41.37 and the Notice of Appeal filed July 28, 2005.

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
Real Party in interest	3
Related Appeals and Interferences	3
Status of Claims	3
Status of Amendments Filed After Final Rejection	3
Summary of Claimed Subject Matter	3
Grounds for Rejection to be Reviewed on Appeal	4
Arguments	5
Claims Appendix	12

Real Party in Interest

The real party in interest in this application is Texas Instruments Incorporated, a corporation of Delaware with its principal place of business in Dallas, Texas. An assignment to Texas Instruments Incorporated is recorded at reel 010513 and frames 0488 to 0490.

Related Appeals and Interferences

There are no appeals of interferences related to this appeal in this application.

Status of the Claims

Claims 1 to 3 and 9 to 11 are finally rejected. Claims 4 to 8 and 12 to 22 are canceled. No claims are allowed.

Status of Amendments Filed After Final Rejection

No amendments to the claims were proposed in the response filed April 5, 2005 following the FINAL REJECTION of February 7, 2005.

Summary of Claimed Subject Matter

This invention is a method and apparatus for reducing noise in a sampled acoustic signal. A sampler obtains discrete samples of an acoustic signal. An analog to digital converter forms a stream of sampled acoustic signals. The invention selects a fixed number of samples. This fixed number of samples is preferably 32 samples. The invention multiplies these samples by a windowing function. This windowing function is preferably a hanning window function. A fast Fourier transform of the windowed samples yields transformed windowed signals. The invention selects half of the transformed windowed signals. The invention calculates a power estimate of the transformed windowed signals and a smoothed power estimate by

smoothing the power estimate over time. The invention calculates a noise estimate. Then invention calculates a gain function from the noise estimate and the smoothed power estimate. The invention calculates a transformed speech signal by multiplying the gain function with the transformed windowed signal. An inversed fast Fourier transform of the transformed speech signal yields a sampled speech signal. The invention adds the sampled speech signal to a portion of the speech signal of a previous frame.

Grounds for Rejection to be Reviewed on Appeal

Claims 1 to 3 and 9 to 11 were rejected under 35 U.S.C. 103(a) as made obvious by Bloebaum et al, U.S. Patent No. 6,070,137.

Arguments

Claims 1 and 9 recite subject matter not made obvious by Bloebaum et al. Claim 1 recites "calculating a smoothed power estimate by smoothing the power estimate over time." Claim 9 recites the noise suppression circuit operates to "calculate a smoothed power estimate by smoothing the power estimate over time." The FINAL REJECTION demonstrates that Bloebaum et al fails to make this limitation obvious. In particular, the FINAL REJECTION shows that Bloebaum et al teaches smoothing over time of a different signal than that claimed in claims 1 and 9.

Claim 1 recites calculation of "a gain function from the noise estimate and the smoothed power estimate." Claim 9 recites the noise suppression circuit operates to "calculate a gain function from the noise estimate and the smoothed power estimate." The FINAL REJECTION states at page 4, lines 11 and 12 that Bloebaum et al:

"• calculates a gain function from the signal and noise power estimates (enhancement filter, col. 6, lines 8-10);"

This portion of the FINAL REJECTION refers to Figure 4 of Bloebaum et al. This Figure 4 illustrates transform and filter computation block 56 receiving the power spectral density (PSD) estimate represented by $|S(e^{j\omega})|^2$ from block 44 and the noise vector N from noise model adaptation block 46 and producing enhancement filter $|H(e^{j\omega})|$. In order for the Examiner's statement at page 4, lines 11 to 12 of the FINAL REJECTION to be true, one input to transform and filter computation block 56 must correspond to the claimed noise estimate and the other input must correspond to the claimed smoothed power estimate. Bloebaum et al states at column 5, lines 58 and 59:

"The forward transform G converts the noise vector N into the noise PSD estimate $|N(e^{j\omega})|^2$."

Thus this input to transform and filter computation block 56 must correspond to the claimed noise estimate. Accordingly, the other input to transform and filter computation block 56 $|S^{\wedge}(e^{j\omega})|^2$ must correspond to the claimed smoothed power estimate. However, Bloebaum et al fails to teach that this input $|S^{\wedge}(e^{j\omega})|^2$ is smoothed over time as required by the language of claims 1 and 9. Bloebaum et al states at column 5, lines 60 to 62 referring to variance reduction block 58:

"The Variance Reduction block receives as input $|S(e^{j\omega})|^2$ and applies a smoothing function in the frequency domain to generate an output $|S^{\wedge}(e^{j\omega})|^2$."

Thus Bloebaum et al clearly teaches $|S^{\wedge}(e^{j\omega})|^2$ is smoothed in the frequency domain and not smoothed over time as recited in claims 1 and 9. The Applicant respectfully submits that disclosure of smoothing in the frequency domain fails to make obvious the smoothing over time of claims 1 and 9.

In summary, Bloebaum et al teaches a calculation of a gain or filter function in transform and filter computation block 56 similar to the recitations of claims 1 and 9. In Bloebaum et al, one input $|N(e^{j\omega})|^2$ is related to the noise estimate and the other input $|S^{\wedge}(e^{j\omega})|^2$ is related to the power estimate. Bloebaum et al teaches the noise estimate $|N(e^{j\omega})|^2$ is smoothed over time (equation at column 5, line 40) and the power estimate $|S^{\wedge}(e^{j\omega})|^2$ is smoothed over frequency (column 5, lines 60 to 62). Claims 1 and 9 recite smoothing the power estimate over time. Bloebaum et al thus teaches smoothing over time of a different signal than that recited in claims 1 and 9 and frequency smoothing of the signal that claims

1 and 9 recite as time smoothed. Accordingly, Bloebaum et al fails to make obvious claims 1 and 9.

The FINAL REJECTION states at page 4, lines 5 to 10 that Bloebaum et al teaches:

"• calculating a smoothed power estimate over time by smoothing the power estimate using the recited (i.e., first-order AR smoothing) equation (Fig. 5, element 64 with 'smoothed version of S' in col. 8, lines 6-8; cf. first order AR smoothing, col. 5, lines 38-44), wherein
"• noting that S is signal power with signal present and noise power when signal absent, thus also calculating a noise estimate"

The Applicants submit that the signal N supplied to transform and filter computation block 56 from noise model adaption block 46 is only a noise estimate and includes no signal. Bloebaum et al states at column 5, lines 21 to 45:

"An important aspect of integrating noise suppression into the MBE speech encoder 20 is the computation of a model of the background noise. The noise model in FIG. 3 is represented as a vector N output from a noise model adaptation block 46. This invention is not restricted to any particular method of modeling background noise, and several possible methods are discussed herein. The noise model is stored by the noise model adaptation block 46 and is updated when the vadFlag is set to zero, indicating that there is an absence of speech. The adaptation process involves smoothing of the model parameters in order to reduce the variance of the noise estimate. This may be done using either a moving average (MA), autoregressive (AR), or a combination ARMA process. AR smoothing is the preferred technique, since it provides good smoothing for a low ordered filter. This reduces the memory storage requirements for the noise suppression algorithm. The noise model adaptation with first order AR smoothing is given by the following equation:

$$N^{(i)} = \alpha N^{(i-1)} + (1-\alpha)S,$$

where α may be in the range $0.1 \leq \alpha \leq 1$, but is further constrained to the range $0.8 \leq \alpha \leq 0.95$ in the preferred

embodiment of the invention. The vector S is an input to block 46 from a Transform and Filter Computation block 56."

The text of Bloebaum et al makes clear that the vector N is a noise model "output from a noise model adaptation block 46." The first order AR smoothing of the equation is used in adapting the noise model. This portion of Bloebaum et al teaches that the noise model "is updated when the vadFlag is set to zero, indicating that there is an absence of speech." Accordingly, the AR smoothing equation is employed only in the absence of signal in S and is employed only to update a "noise model is stored by the noise model adaptation block 46." This portion of Bloebaum et al clearly teaches smoothing of the vector N from noise model adaptation block 46 as a function of the prior noise vector N and the vector S in the absence of signal. Thus this is not smoothing the power estimate as claimed. Claims 1 and 9 recite such a noise estimate as a different signal employed in the calculation of the gain function. Thus this equation fails to make obvious calculating "a smoothed power estimate by smoothing the power estimate over time" as recited in claims 1 and 9.

The FINAL REJECTION cites variance reduction 64 described in Bloebaum et al at column 8, lines 6 to 8 and illustrated in Figure 5 as teaching the recited smoothing over time with reference to Bloebaum et al at column 5, lines 38 to 44. Bloebaum et al at column 5, lines 38 to 44 teaches smoothing over time of the noise vector N produced by noise model adaptation block 46. This smoothing over time is not applicable to variance reduction 64 of Figure 5. Bloebaum et al states at column 8, lines 1 to 10:

"This alternate version is denoted by block 62 and is shown in FIG. 5. The principal novelty of the block 62 versus the block 56 is that the enhancement filter is computed in the domain of the noise model and then transformed to the sampled frequency domain. In FIG. 5, the signal model vector S is input to the

Variance Reduction block 64, which outputs a smoothed version of S denoted S^{\wedge} . This vector S and the noise model vector N are input to the Enhancement Filter Computation block 66."

This teaching of Bloebaum et al fails to state that variance reduction block 64 smoothes over time as required by the language of claims 1 and 9. Because Figure 5 is taught as an alternative to Figure 4, one skilled in the art would believe that variance reduction block 64 operates similarly to analogous variance reduction block 58 of Figure 4. As quoted above, Bloebaum et al states at column 5, lines 60 to 62 variance reduction block 58 smoothes in the frequency domain. Accordingly, one skilled in the art would believe that variance reduction block 64 also smoothes in the frequency domain. Thus claims 1 and 9 are not made obvious by Bloebaum et al.

The FINAL REJECTION states at page 2, line 17 to page 3, line 3:

"As for the assertion that Bloebaum's smoothed signal and power estimates are not used to compute his gain function (Amendment, p.9), this is clearly false, since the gain is computed in the special enhancement filter (element 52 of Figure 3), which clearly gets inputs from the smoothed signal power computation element (56) therein and the smoothed noise power computation element (46, its output going through element 56 on the way to element 52, as indicated by the corresponding arrows in Figure 1)."

The Applicants believe this statement mischaracterizes the Applicant's argument. The response filed October 29, 2004 states at page 8, line 29 to page 9, line 11:

"Claims 1 and 9 each recite calculation of "a gain function from the noise estimate and the smoothed power estimate." Bloebaum et al illustrates transform and filter computation block 56 which receives the power spectral density (PSD) estimate represented by $|S(e^{j\omega})|^2$ from block 44 and the vector N from noise model adaption block 46 and produces


enhancement filter $|H(e^{j\omega})|$. If the vector N is the claimed smoothed power estimate, then transform and filter computation block 56 receives the power spectral density estimate from block 44 and the smoothed power spectral density estimate (vector N) from noise model adaption block 46. These are not the inputs to the calculated gain function recited in claims 1 and 9. Thus if the vector N is the claimed smoothed power estimate, Bloebaum et al fails to make obvious a different limitation of claims 1 and 9. Accordingly, the Appellants respectfully submit that claims 1 and 9 are allowable over Bloebaum et al."

This argument is conditional by the phrase "If the vector N is the claimed smoothed power estimate." Figure 3 of Bloebaum et al shows that transform and filter computation 56 receives power spectral density (PSD) estimate represented by $|S(e^{j\omega})|^2$ from block 44 and the vector N from noise model adaption block 46 and produces enhancement filter $|H(e^{j\omega})|$. The Applicants believe that power spectral density (PSD) $|S(e^{j\omega})|^2$ corresponds to the claimed power estimate and the vector N corresponds to the claimed noise estimate. In order for the time smoothing equation at Bloebaum et al column 5, line 40 to apply to the claimed power estimate, the Examiner must argue that the vector N from noise adaption block 46 is that power estimate. The above quoted portion of the response filed October 29, 2004 points out that this argument results in transform and filter computation block 56 receiving differing inputs than recited in the paragraphs of claims 1 and 9 which calculate a gain function. The Applicants do not believe that the conditional "If the vector N is the claimed smoothed power estimate" is true. The Applicants submit that if this conditional is true, the Examiner's rejection fails relative to another limitation of claims 1 and 9. Thus this argument points out an inconsistency in the Examiner's rejection.

Claims 2, 3, 10 and 11 are allowable by dependency upon allowable base claims.

If the Examiner has any questions or other correspondence regarding this application, Applicants request that the Examiner contact Applicants' attorney at the below listed telephone number and address to facilitate prosecution.

Texas Instruments Incorporated
P.O. Box 655474 M/S 3999
Dallas, Texas 75265
(972) 917-5290
Fax: (972) 917-4418

Respectfully submitted,

Robert D. Marshall, Jr.
Reg. No. 28,527

APPENDIX
CLAIMS ON APPEAL

1 1. (Previously Presented) A method for reducing noise in a
2 sampled acoustic signal, comprising:

3 receiving a stream of sampled acoustic signals;

4 digitizing each sampled acoustic signal thereby forming
5 digital samples;

6 selecting a fixed number of digital samples;

7 multiplying the digital samples by a windowing function;

8 computing the fast Fourier transform of the selected windowed
9 digital samples to yield transformed windowed signals;

10 selecting half of the transformed windowed signals;

11 calculating a power estimate of the transformed windowed
12 signals;

13 calculating a smoothed power estimate by smoothing the power
14 estimate over time using the equation:

$$P^t(i) = (1-\alpha) P^{t-1}(i) + \alpha P(i)$$

18 where: $P^t(i)$ is the smoothed power estimate for a current time
19 sample to be calculated for the i -th FFT point; $P^{t-1}(i)$ is the
20 smoothed power estimate for an immediately prior time sample for
21 the i -th FFT point; $P(i)$ is the calculated power estimate of the
22 transformed windowed signals for the i -th FFT point; and α is an
23 experimentally chosen predetermined value called the smoothing
24 factor;

25 calculating a noise estimate;

26 calculating a gain function from the noise estimate and the
27 smoothed power estimate;

28 calculating a transformed speech signal by multiplying the
29 gain function with the transformed windowed signal;

30 calculating an inversed fast Fourier transform of the
31 transformed speech signal to yield a sampled speech signal; and
32 adding the sampled speech signal to a portion of the speech
33 signal of a previous frame.

1 2. (Original) The method of Claim 1, wherein the fixed
2 number of samples is thirty-two.

1 3. (Original) The method of Claim 1, wherein the windowing
2 function is a hanning window function.

1 9. (Previously Presented) A system for reducing noise in an
2 acoustical signal comprising:
3 a sampler for obtaining discrete samples of the acoustical
4 signal;
5 an analog to digital converter coupled to the sampler and
6 operable to convert the analog discrete samples into a digitized
7 sample;
8 a noise suppression circuit coupled to the analog to digital
9 converter and operable to:
10 receive the digitized samples;
11 select a fixed number of digitized samples;
12 multiply the digitized samples by a windowing function;
13 compute the fast Fourier transform of the windowed
14 digitized samples to yield transformed windowed signals;
15 select half of the transformed windowed signals;
16 calculate a power estimate of the transformed windowed
17 signals;
18 calculate a smoothed power estimate by smoothing the power
19 estimate over time using the equation:
20

21
$$P^t(i) = (1-\alpha) P^{t-1}(i) + \alpha P(i)$$

22

23 where: $P^t(i)$ is the smoothed power estimate for a current time
24 sample to be calculated for the i -th FFT point; $P^{t-1}(i)$ is the
25 smoothed power estimate for an immediately prior time sample for
26 the i -th FFT point; $P(i)$ is the calculated power estimate of the
27 transformed windowed signals for the i -th FFT point; and α is an
28 experimentally chosen predetermined value called the smoothing
29 factor;

30 calculate a noise estimate;

31 calculate a gain function from the noise estimate and the
32 smoothed power estimate;

33 calculate a transformed speech signal by multiplying the
34 gain function with the transformed windowed signal;

35 calculate an inversed fast Fourier transform of the
36 transformed speech signal to yield a sampled speech signal; and

37 add the sampled speech signal to a portion of the speech
38 signal of a previous frame.

1 10. (Original) The system of Claim 9, wherein the fixed
2 number of samples is thirty-two.

1 11. (Original) The system of Claim 9, wherein the windowing
2 function is a hanning window function.